Andreas Weber and Uwe Wystup

MathFinance AG Waldems, Germany www.mathfinance.com

16 October 2008

the bridge between investment banking and academic research in mathematical finance

Contents

1 Pricing Formulae for Foreign Exchange Options

The Foreign Exchange Options market is highly competitive, even for products beyond vanilla call and put options. This means that pricing and risk management systems always need to have the fastest possible method to compute values and sensitivities for all the products in the book. Only then can a trader or risk manager know the current position and risk of his book. The ideal solution is to use pricing formulae in closed form. However, this is often only possible in the [Black-Scholes model.](#page-0-0)

1.1 General Model Assumptions and Abbreviations

Throughout this article we denote the current value of the spot S_t by x and use the abbreviations listed in [Table 1.](#page-2-0)

$\tau \stackrel{\Delta}{=} T-t$	$\theta_{\pm} \stackrel{\Delta}{=} \frac{r_d-r_f}{\sigma} \pm \frac{\sigma}{2}$
$D_d \stackrel{\Delta}{=} e^{-r_d \tau}$	$d_{\pm} \triangleq \frac{\ln(\frac{x}{K}) + \sigma \theta_{\pm} \tau}{\sigma \sqrt{\tau}}$
$D_f \stackrel{\Delta}{=} e^{-r_f \tau}$	
$n(t) \stackrel{\Delta}{=} \frac{1}{\sqrt{2\pi}}e^{-\frac{t^2}{2}}$	$\begin{array}{c} x_{\pm}\overset{\Delta}{=}\frac{\ln(\frac{x}{B})+\sigma\theta_{\pm}\tau}{\sigma\sqrt{\tau}}\\ z_{\pm}\overset{\Delta}{=}\frac{\ln(\frac{B^2}{xK})+\sigma\theta_{\pm}\tau}{\sigma\sqrt{\tau}} \end{array}$
$\mathcal{N}(x) \stackrel{\Delta}{=} \int_{-\infty}^{x} n(t) dt$	$\overline{y_{\pm} \triangleq \frac{\ln(\frac{B}{x}) + \sigma \theta_{\pm} \tau}{\sigma \sqrt{\tau}}}$
$\phi = +1$ for call options	$\phi = -1$ for put options
t: current time	$T:$ maturity time
$K:$ strike	B, L, H : barriers

Table 1: Abbreviations used for the pricing formulae of FX options

The pricing follows the usual procedures of [Arbitrage pricing theory](#page-0-0) and the [Fundamental the](#page-0-0)[orem of asset pricing.](#page-0-0) In a Foreign Exchange market this means that we model the underlying exchange rate by a geometric Brownian motion

$$
dS_t = (r_d - r_f)S_t dt + \sigma S_t dW_t,
$$
\n⁽¹⁾

where r_d denotes the domestic interest rate, σ the volatility, W_t as standard Brownian motion, see [Foreign Exchange symmetries](#page-0-0) for details. Most importantly, we note that there is a foreign interest rate r_f . Like in [Option pricing: general principles,](#page-0-0) one can compute closed form solutions for many options types with payoff $F(S_T)$ at maturity T directly via

$$
v(t,x) = e^{-r_d T} E[F(S_T)|S_t = x]
$$

=
$$
e^{-r_d T} E\left[F\left(xe^{(r_d - r_f - \frac{1}{2}\sigma^2)\tau + \sigma\sqrt{\tau}Z}\right)\right],
$$
 (2)

where $v(t, x)$ denotes the value of the derivative with payoff F at time t if the spot is at x. The random variable Z represents the continuous returns, which are modeled as standard normal in the [Black-Scholes model.](#page-0-0) In this model we can proceed as

$$
v(t,x) = e^{-r_d \tau} \int_{-\infty}^{+\infty} F\left(x e^{(r_d - r_f - \frac{1}{2}\sigma^2)\tau + \sigma\sqrt{\tau}z}\right) n(z) dz
$$

$$
= D_d \int_{-\infty}^{+\infty} F\left(x e^{\sigma\theta - \tau + \sigma\sqrt{\tau}z}\right) n(z) dz.
$$
 (3)

The rest is working out the integration. In other models one would replace the normal density by another density function such as a t-density. However, in many other models densities are not explicitly known, or even if they are, the integration becomes cumbersome.

For the resulting pricing formulae, there are many sources, e.g. [\[11\]](#page-19-0), [\[7\]](#page-19-1), [\[17\]](#page-19-2). Many general books on [Option Pricing](#page-0-0) also contain formulae in a context outside Foreign exchange, e.g. [\[8\]](#page-19-3), [\[18\]](#page-19-4). Obviously, we can't cover all possible formulae in this section. We give an overview of several relevant examples and refer to [Foreign exchange basket options,](#page-0-0) the [Margrabe formula](#page-0-0) and [Foreign exchange quanto options](#page-0-0) for more. FX vanilla options are covered in [Foreign](#page-0-0) [Exchange symmetries.](#page-0-0)

1.2 Barrier Options

We consider the payoff for single barrier knock-out options

$$
[\phi(S_T - K)]^+ I\!\!I_{\{\eta S_t > \eta B, 0 \le t \le T\}} = [\phi(S_T - K)]^+ I\!\!I_{\{\min_{t \in [0,T]} (\eta S_t) > \eta B\}},\tag{4}
$$

where the binary variable η takes the value $+1$ if the barrier B is approached from above (down-and-out) and -1 if the barrier is approached from below (up-and-out). To price knock-in options paying

$$
[\phi(S_T - K)]^+ I\!\!I_{\{\min_{t \in [0,T]} (\eta S_t) \le \eta B\}} \tag{5}
$$

we use the fact that

$$
knock-in + knock-out = vanilla. \tag{6}
$$

Computing the value of a barrier option in the Black-Scholes model boils down to knowing the joint density $f(x, y)$ for a Brownian motion with drift and its running extremum $(\eta = +1)$ for a maximum and $\eta = -1$ for a minimum),

$$
\left(W(T) + \theta_{-}T, \eta \min_{0 \le t \le T} [\eta(W(t) + \theta_{-}t)]\right),\tag{7}
$$

which is derived, e.g., in $[15]$, and can be written as

$$
f(x,y) = -\eta e^{\theta - x - \frac{1}{2}\theta_{-}^{2}} \frac{T^{2}(2y - x)}{T\sqrt{2\pi T}} \exp\left\{-\frac{(2y - x)^{2}}{2T}\right\},\tag{8}
$$

$$
\eta y \le \min(0, \eta x).
$$

Using the density [\(8\)](#page-3-1) the value of a barrier option can be written as the following integral

$$
\text{barrier}(S_0, \sigma, r_d, r_f, K, B, T) = e^{-r_d T} \mathbb{E} \left[[\phi(S_T - K)]^+ \mathbb{I}_{\{\eta S_t > \eta B, 0 \le t \le T\}} \right] \tag{9}
$$

$$
= e^{-r_d T} \int_{x=-\infty}^{x=+\infty} \int_{\eta y \le \min(0,\eta x)} \left[\phi(S_0 e^{\sigma x} - K) \right]^+ I\!\!I_{\{\eta y > \eta \frac{1}{\sigma} \ln \frac{B}{S_0} \}} f(x, y) \, dy \, dx. \tag{10}
$$

Further details on how to evaluate this integral can be found in [\[15\]](#page-19-5). It produces four terms. We provide the four terms and summarize in [Table 2](#page-4-0) how they are used to find the value function.

option type	ϕ	η	in/out	reverse	combination
standard up-and-in call	$+1$	-1	-1	K > B	A_1
reverse up-and-in call	$+1$	-1	-1	$K \leq B$	$A_2 - A_3 + A_4$
reverse up-and-in put	-1	-1	-1	K > B	$A_1 - A_2 + A_4$
standard up-and-in put	-1	-1	-1	$K \leq B$	A_3
standard down-and-in call	$+1$	$+1$	-1	K > B	A_3
reverse down-and-in call	$+1$	$+1$	-1	$K \leq B$	$A_1 - A_2 + A_4$
reverse down-and-in put	-1	$+1$	-1	K > B	$A_2 - A_3 + A_4$
standard down-and-in put	-1	$+1$	-1	$K \leq B$	A_1
standard up-and-out call	$+1$	-1	$+1$	K > B	$\overline{0}$
reverse up-and-out call	$+1$	-1	$+1$	$K \leq B$	$A_1 - A_2 + A_3 - A_4$
reverse up-and-out put	-1	-1	$+1$	K > B	$A_2 - A_4$
standard up-and-out put	-1	-1	$+1$	$K \leq B$	$A_1 - A_3$
standard down-and-out call	$+1$	$+1$	$+1$	K > B	$A_1 - A_3$
reverse down-and-out call	$+1$	$+1$	$+1$	$K \leq B$	$A_2 - A_4$
reverse down-and-out put	-1	$+1$	$+1$	K > B	$A_1 - A_2 + A_3 - A_4$
standard down-and-out put	-1	$+1$	$+1$	$K \leq B$	θ

Table 2: The summands for the value of single barrier options

 6 Wystup with \sim Mystup with \sim Mystup

$$
A_1 = \phi x D_f \mathcal{N}(\phi d_+) - \phi K D_d \mathcal{N}(\phi d_-) \tag{11}
$$

$$
A_2 = \phi x D_f \mathcal{N}(\phi x_+) - \phi K D_d \mathcal{N}(\phi x_-) \tag{12}
$$

$$
A_3 = \phi \left(\frac{B}{x}\right)^{\frac{2\theta}{\sigma}} \left[x D_f \left(\frac{B}{x}\right)^2 \mathcal{N}(\eta z_+) - K D_d \mathcal{N}(\eta z_-) \right] \tag{13}
$$

$$
A_4 = \phi \left(\frac{B}{x}\right)^{\frac{2\theta}{\sigma}} \left[x D_f \left(\frac{B}{x}\right)^2 \mathcal{N}(\eta y_+) - K D_d \mathcal{N}(\eta y_-) \right] \tag{14}
$$

1.3 Digital and Touch Options

1.3.1 Digital Options

Digital options have a payoff

$$
v(T, S_T) = I_{\{\phi S_T \ge \phi K\}} \text{ domestic paying}, \tag{15}
$$

$$
w(T, S_T) = S_T I_{\{\phi S_T \ge \phi K\}} \text{ foreign paying.}
$$
 (16)

In the domestic paying case the payment of the fixed amount is in domestic currency, whereas in the foreign paying case the payment is in foreign currency. We obtain for the value functions

$$
v(t,x) = D_d \mathcal{N}(\phi d_-),\tag{17}
$$

$$
w(t,x) = x D_f \mathcal{N}(\phi d_+),\tag{18}
$$

of the digital options paying one unit of domestic and paying one unit of foreign currency respectively.

1.3.2 One-Touch Options

The payoff of a one-touch is given by

$$
R\mathbf{I}\!\mathbf{I}_{\{\tau_B \le T\}},\tag{19}
$$

$$
\tau_B \stackrel{\Delta}{=} \inf \{ t \ge 0 : \eta S_t \le \eta B \}. \tag{20}
$$

This type of option pays a domestic cash amount R if a barrier B is hit any time before the expiration time. We use the binary variable η to describe whether B is a lower barrier $(\eta = 1)$ or an upper barrier $(\eta = -1)$. The stopping time τ_B is called the first hitting time. In FX

markets it is usually called a one-touch (option), one-touch-digital or hit option. The modified payoff of a no-touch (option), $RI_{\{T_B>T\}}$ describes a rebate which is paid if a knock-in-option has not knocked in by the time it expires and can be valued similarly simply by exploiting the identity

$$
R\mathbf{I}_{\{\tau_B \le T\}} + R\mathbf{I}_{\{\tau_B > T\}} = R. \tag{21}
$$

Furthermore, we will distinguish the time at which the rebate is paid and let

$$
\omega = 0, \text{ if the rebate is paid at first hitting time } \tau_B, \tag{22}
$$

$$
\omega = 1, \text{ if the rebate is paid at maturity time } T, \tag{23}
$$

where the former is also called *instant one-touch* and the latter is the default in FX options markets. It is important to mention that the payoff is one unit of the domestic currency. For a payment in the foreign currency EUR, one needs to exchange r_d and r_f , replace x and B by their reciprocal values and change the sign of η , see [Foreign Exchange symmetries.](#page-0-0)

For the one-touch we will use the abbreviations

$$
\vartheta_{-} \stackrel{\Delta}{=} \sqrt{\theta_{-}^{2} + 2(1 - \omega)r_{d}} \quad \text{and} \quad e_{\pm} \stackrel{\Delta}{=} \frac{\pm \ln \frac{x}{B} - \sigma \vartheta_{-} \tau}{\sigma \sqrt{\tau}}.
$$
 (24)

The theoretical value of the one-touch turns out to be

$$
v(t,x) = Re^{-\omega r_d \tau} \left[\left(\frac{B}{x} \right)^{\frac{\theta_- + \theta_-}{\sigma}} \mathcal{N}(-\eta e_+) + \left(\frac{B}{x} \right)^{\frac{\theta_- - \theta_-}{\sigma}} \mathcal{N}(\eta e_-) \right]. \tag{25}
$$

Note that $\vartheta_-=|\theta_-\|$ for rebates paid at end $(\omega=1)$. The risk-neutral probability of knocking out is given by

$$
I\!\!P[\tau_B \le T] = I\!\!E \left[I\!\!I_{\{\tau_B \le T\}} \right] = \frac{1}{R} e^{r_d T} v(0, S_0). \tag{26}
$$

Properties of the First Hitting Time τ_B . As derived, e.g., in [\[15\]](#page-19-5), the first hitting time

$$
\tilde{\tau} \stackrel{\Delta}{=} \inf\{t \ge 0 : \theta t + W(t) = x\}
$$
\n(27)

of a Brownian motion with drift θ and hit level $x > 0$ has the density

$$
I\!\!P[\tilde{\tau} \in dt] = \frac{x}{t\sqrt{2\pi t}} \exp\left\{-\frac{(x-\theta t)^2}{2t}\right\} dt, \quad t > 0,
$$
\n(28)

the cumulative distribution function

$$
I\!\!P[\tilde{\tau} \le t] = \mathcal{N}\left(\frac{\theta t - x}{\sqrt{t}}\right) + e^{2\theta x} \mathcal{N}\left(\frac{-\theta t - x}{\sqrt{t}}\right), \quad t > 0,
$$
\n(29)

 8 Wystup with 8

the Laplace-transform

$$
E e^{-\alpha \tilde{\tau}} = \exp\left\{ x\theta - x\sqrt{2\alpha + \theta^2} \right\}, \quad \alpha > 0, \ x > 0,
$$
 (30)

and the property

$$
I\!\!P[\tilde{\tau} < \infty] = \begin{cases} 1 & \text{if } \theta \ge 0 \\ e^{2\theta x} & \text{if } \theta < 0 \end{cases} \tag{31}
$$

For upper barriers $B > S_0$ we can now rewrite the first passage time τ_B as

$$
\tau_B = \inf\{t \ge 0 : S_t = B\}
$$

=
$$
\inf\left\{t \ge 0 : W_t + \theta_- t = \frac{1}{\sigma} \ln\left(\frac{B}{S_0}\right)\right\}.
$$
 (32)

The density of τ_B is hence

$$
I\!\!P[\tilde{\tau_B} \in dt] = \frac{\frac{1}{\sigma} \ln\left(\frac{B}{S_0}\right)}{t\sqrt{2\pi t}} \exp\left\{-\frac{\left(\frac{1}{\sigma} \ln\left(\frac{B}{S_0}\right) - \theta_{-}t\right)^2}{2t}\right\}, \quad t > 0. \tag{33}
$$

Derivation of the Value Function. Using the density [\(33\)](#page-7-0) the value of the paid-at-end $(\omega = 1)$ upper rebate $(\eta = -1)$ option can be written as the the following integral.

$$
v(T, S_0) = Re^{-r_d T} E\left[H_{\{\tau_B \le T\}}\right]
$$

= $Re^{-r_d T} \int_0^T \frac{\frac{1}{\sigma} \ln\left(\frac{B}{S_0}\right)}{t\sqrt{2\pi t}} \exp\left\{-\frac{\left(\frac{1}{\sigma} \ln\left(\frac{B}{S_0}\right) - \theta_{-}t\right)^2}{2t}\right\} dt$ (34)

To evaluate this integral, we introduce the notation

$$
e_{\pm}(t) \stackrel{\Delta}{=} \frac{\pm \ln \frac{S_0}{B} - \sigma \theta_{-} t}{\sigma \sqrt{t}} \tag{35}
$$

and list the properties

$$
e_{-}(t) - e_{+}(t) = \frac{2}{\sqrt{t}} \frac{1}{\sigma} \ln\left(\frac{B}{S_0}\right), \tag{36}
$$

$$
n(e_{+}(t)) = \left(\frac{B}{S_0}\right)^{-\frac{2v_{-}}{\sigma}} n(e_{-}(t)), \tag{37}
$$

$$
\frac{\partial e_{\pm}(t)}{\partial t} = \frac{e_{\mp}(t)}{2t}.
$$
\n(38)

We evaluate the integral in (34) by rewriting the integrand in such a way that the coefficients of the exponentials are the inner derivatives of the exponentials using properties (36) , (37) and [\(38\).](#page-7-2)

$$
\int_{0}^{T} \frac{\frac{1}{\sigma} \ln\left(\frac{B}{S_{0}}\right)}{t\sqrt{2\pi t}} \exp\left\{-\frac{\left(\frac{1}{\sigma} \ln\left(\frac{B}{S_{0}}\right) - \theta_{-}t\right)^{2}}{2t}\right\} dt
$$
\n
$$
= \frac{1}{\sigma} \ln\left(\frac{B}{S_{0}}\right) \int_{0}^{T} \frac{1}{t^{(3/2)}} n(e_{-}(t)) dt
$$
\n
$$
= \int_{0}^{T} \frac{1}{2t} n(e_{-}(t)) [e_{-}(t) - e_{+}(t)] dt
$$
\n
$$
= -\int_{0}^{T} n(e_{-}(t)) \frac{e_{+}(t)}{2t} + \left(\frac{B}{S_{0}}\right)^{\frac{2\theta_{-}}{\sigma}} n(e_{+}(t)) \frac{e_{-}(t)}{2t} dt
$$
\n
$$
= \left(\frac{B}{S_{0}}\right)^{\frac{2\theta_{-}}{\sigma}} \mathcal{N}(e_{+}(T)) + \mathcal{N}(-e_{-}(T)). \tag{39}
$$

The computation for lower barriers $(\eta = 1)$ is similar.

1.3.3 Double-No-Touch Options

A double-no-touch with payoff function

$$
\mathit{I}_{\{L < \min_{t \in [0,T]} S_t \le \max_{t \in [0,T]} S_t < H\}} \tag{40}
$$

pays one unit of domestic currency at maturity T , if the spot *never* touches any of the two barriers, where the lower barrier is denoted by L , the higher barrier by H . A double-one-touch pays one unit of domestic currency at maturity, if the spot either touches or crosses any of the lower or higher barrier at least once between inception of the trade and maturity. This means that a portfolio of a double-one-touch and a double-no-touch is equivalent to a certain payment of one unit of domestic currency at maturity.

To compute the value, let us introduce the stopping time

$$
\tau_{L,H} \stackrel{\Delta}{=} \min \left\{ \inf \left\{ t \in [0,T] \middle| S_t = L \text{ or } S_t = H \right\}, T \right\} \tag{41}
$$

and the notation

$$
\tilde{h} \triangleq \frac{1}{\sigma} \ln \frac{H}{S_t} \tag{42}
$$

$$
\tilde{l} \triangleq \frac{1}{\sigma} \ln \frac{L}{S_t} \tag{43}
$$

$$
\tilde{\theta}_{\pm} \triangleq \theta_{\pm} \sqrt{\tau} \tag{44}
$$

$$
h \triangleq \tilde{h}/\sqrt{\tau} \tag{45}
$$

$$
l \triangleq \tilde{l}/\sqrt{\tau} \tag{46}
$$

$$
\epsilon_{\pm} \stackrel{\Delta}{=} \epsilon_{\pm}(j) = 2j(h-l) - \tilde{\theta}_{\pm} \tag{47}
$$

$$
n_T(x) \triangleq \frac{1}{\sqrt{2\pi T}} \exp\left(-\frac{x^2}{2T}\right). \tag{48}
$$

At any time $t < \tau_{L,H}$, the value of the double-no-touch is

$$
v(t) = \mathbf{E}^t \left[D_d \mathbf{I}_{\{L < \min_{t \in [0,T]} S_t \le \max_{t \in [0,T]} S_t < H\}} \right],\tag{49}
$$

and for $t \in [\tau_{L,H}, T]$,

$$
v(t) = D_d I_{\{L < \min_{t \in [0,T]} S_t \le \max_{t \in [0,T]} S_t < H\}}.\tag{50}
$$

The joint distribution of the maximum and the minimum of a Brownian motion can be taken from [\[12\]](#page-19-6) and is given by

$$
I\!\!P\left[\tilde{l} < \min_{[0,T]} W_t \le \max_{[0,T]} W_t < \tilde{h}\right] = \int_{\tilde{l}}^{\tilde{h}} k_T(x) \, dx \tag{51}
$$

with

$$
k_T(x) = \sum_{j=-\infty}^{\infty} \left[n_T(x + 2j(\tilde{h} - \tilde{l})) - n_T(x - 2\tilde{h} + 2j(\tilde{h} - \tilde{l})) \right].
$$
 (52)

One can use Girsanov's Theorem (see [Equivalent Martingale Measure and Ramifications\)](#page-0-0) to deduce that the joint density of the maximum and the minimum of a Brownian motion with drift θ , $W_t^\theta \stackrel{\Delta}{=} W_t + \theta t$, is then given by

$$
k_T^{\theta}(x) \stackrel{\Delta}{=} k_T(x) \exp\left\{\theta x - \frac{1}{2}\theta^2 T\right\}.
$$
 (53)

We obtain for the value of the double-no-touch at any time $t < \tau_{L,H}$

$$
v(t, S_t) = D_d E I_{\{L < \min_{u \in [t,T]} S_u \le \max_{u \in [t,T]} S_u < H\}}
$$
\n
$$
= D_d E I_{\{\tilde{l} < \min_{u \in [t,T]} W_u^{\theta -} \le \max_{u \in [t,T]} W_u^{\theta -} < \tilde{h}\}}
$$
\n
$$
= D_d \int_{\tilde{l}}^{\tilde{h}} k_{(T-t)}^{\theta -} (x) dx
$$
\n
$$
= D_d \cdot \sum_{j=-\infty}^{\infty} \left[e^{-2j\tilde{\theta}_{-}(h-l)} \left\{ \mathcal{N} \left(h + \epsilon_{-} \right) - \mathcal{N} \left(l + \epsilon_{-} \right) \right\} - e^{-2j\tilde{\theta}_{-}(h-l) + 2\tilde{\theta}_{-}h} \left\{ \mathcal{N} \left(h - 2h + \epsilon_{-} \right) - \mathcal{N} \left(l - 2h + \epsilon_{-} \right) \right\} \right]
$$
\n
$$
(54)
$$

and for $t \in [\tau_{L,H}, T]$

$$
v(t, S_t) = D_d I\!\!I_{\{L < \min_{u \in [t, T]} S_u \le \max_{u \in [t, T]} S_t < H\}}.\tag{55}
$$

Of course, the value of the double-one-touch is given by

$$
D_d - v(t, S_t). \tag{56}
$$

To obtain a formula for a double-no-touch paying foreign currency, see [Foreign Exchange](#page-0-0) [symmetries.](#page-0-0)

1.4 Lookback Options

[Lookback](#page-0-0) options are path dependent. At expiration the holder of the option can "look back" over the life time of the option and exercise based upon the optimal underlying value (extremum) achieved during that period. Thus, Lookback options (like [Asian options\)](#page-0-0) avoid the problem of European options that the underlying performed favorably throughout most of the option's lifetime but moves into a non-favorable direction towards maturity. Moreover, (unlike [American Options\)](#page-0-0) [Lookback](#page-0-0) options optimize the market timing, because the investor gets -by definition- the most favorable underlying price. As summarized in [Table 3](#page-11-0) [Lookback](#page-0-0) options can be structured in two different types with the extremum representing either the strike price or the underlying value. [Figure 1](#page-11-1) shows the development of the payoff of [Lookback](#page-0-0) options depending on a sample price path. In detail we define

$$
M_T \stackrel{\Delta}{=} \max_{0 \le u \le T} S(u) \quad \text{and} \quad m_T \stackrel{\Delta}{=} \min_{0 \le u \le T} S(u). \tag{57}
$$

Variations of Lookback options include Partial Lookback Options , where the monitoring period for the underlying is shorter than the lifetime of the option. Conze and Viswanathan [\[2\]](#page-18-0) present further variations like Limited Risk and American Lookback Options.

payoff	lookback type	parameter used below
		in valuation
M_T-S_T	floating strike put	$\phi = -1, \bar{\eta} = -1$
$S_T - m_T$	floating strike call	$\phi = +1, \bar{\eta} = +1$
$(M_T - X)^+$	fixed strike call	$\phi = +1, \bar{\eta} = -1$
	$(X - m_T)^+$ fixed strike put	$\phi = -1, \bar{\eta} = +1$

Table 3: Types of lookback options. The contract parameters T and X are the time to maturity and the strike price respectively, and S_T denotes the spot price at expiration time. Fixed strike lookback options are also called hindsight options.

Figure 1: Payoff profile of Lookback calls (sample underlying price path, $m = 20$ trading days)

In theory, Garman pointed out in $[4]$, that Lookback options can also add value for risk managers, because floating (fixed) strike lookback options are good means to solve the timing problem of market entries (exits), see [\[9\]](#page-19-8). For instance, a minimum strike call is suitable to avoid missing the best exchange rate in currency linked security issues. However, this right is very expensive. Since one buys a guarantee for the best possible exchange rate ever, lookback options are generally way too expensive and hardly ever trade. Exceptions are performance notes, where lookback and average features are mixed, e.g. performance notes paying say 50% of the best of 36 monthly average gold price returns.

1.4.1 Valuation

We consider the example of the floating strike lookback call. Again, the value of the option is given by

$$
v(0, S_0) = \mathbb{E} \left[e^{-r_d T} (S_T - m_T) \right]
$$

= $S_0 e^{-r_f T} - e^{-r_d T} \mathbb{E} [m_T].$ (58)

In the standard Black-Scholes model (1) , the value can be derived using the reflection principle and results in

$$
v(t,x) = \phi \left\{ xD_f \mathcal{N}(\phi d_+) - KD_d \mathcal{N}(\phi d_-) + \frac{1-\eta}{2} \phi D_d [\phi (R - X)]^+ + \eta x D_d \frac{1}{h} \left[\left(\frac{x}{K} \right)^{-h} \mathcal{N}(-\eta \phi (d_+ - h \sigma \sqrt{\tau})) - e^{(r_d - r_f)\tau} \mathcal{N}(-\eta \phi d_+) \right] \right\}.
$$
 (59)

This value function has a removable discontinuity at $h = 0$ where it turns out to be

$$
v(t,x) = \phi \left\{ xD_f \mathcal{N}(\phi d_+) - K D_d \mathcal{N}(\phi d_-) + \frac{1-\eta}{2} \phi D_d [\phi (R - X)]^+ + \eta x D_d \sigma \sqrt{\tau} \left[-d_+ \mathcal{N}(-\eta \phi d_+) + \eta \phi n(d_+) \right] \right\}.
$$
 (60)

The abbreviations we use are

14 Wystup

$$
h \triangleq \frac{2(r_d - r_f)}{\sigma^2},\tag{61}
$$

$$
R \triangleq \text{running extremum: extremum observed until valuation time,}
$$
\n
$$
K \triangleq \begin{cases}\nR & \text{floating strike lookback} \\
\bar{\eta} \min(\bar{\eta}X, \bar{\eta}R) & \text{fixed strike lookback}\n\end{cases}
$$
\n
$$
\eta \triangleq \begin{cases}\n+1 & \text{floating strike lookback} \\
-1 & \text{fixed strike lookback}\n\end{cases}
$$
\n(64)

Note that this formula basically consists of that for a [vanilla call](#page-0-0) (1st two terms) plus another term. Conze and Viswanathan also show closed form solutions for fixed strike lookback options and the variations mentioned above in $[2]$. Heynen and Kat develop equations for Partial Fixed and Floating Strike Lookback Options in [\[10\]](#page-19-9). We list some sample results in Table [4.](#page-14-1)

1.4.2 Discrete Sampling

 \mathbf{r}

In practice, one can not take the average over a continuum of exchange rates. The standard is to specify a fixing calendar and take only a finite number of fixings into account. Suppose there are m equidistant sample points left until expiration at which we evaluate the extremum. In this case the value function v_m can be determined by an approximation described by Broadie, Glasserman and Kou [\[1\]](#page-18-1). We set

$$
\beta \stackrel{\Delta}{=} -\zeta(1/2)/\sqrt{2\pi} = 0.5826, \quad (\zeta \text{ being Riemann's } \zeta\text{-function}) \tag{65}
$$

$$
\alpha \stackrel{\Delta}{=} e^{\phi \beta \sigma \sqrt{\tau/m}}, \tag{66}
$$

and obtain for fixed strike lookback options

$$
v_m(t, x, r_d, r_f, \sigma, R, X, \phi, \bar{\eta}) = v(t, x, r_d, r_f, \sigma, \alpha R, \alpha X, \phi, \bar{\eta})/\alpha,
$$
(67)

and for floating strike lookback options

$$
v_m(t, x, r_d, r_f, \sigma, R, X, \phi, \bar{\eta}) = av(t, x, r_d, r_f, \sigma, R/\alpha, X, \phi, \bar{\eta}) - \phi(\alpha - 1)xD_f.
$$
 (68)

1.5 Forward Start Options

1.5.1 Product Definition

A forward start vanilla option is just like a vanilla option, except that the strike is fixed on some future date $t_f\in (0,T)$, specified in the contract. The strike is fixed as αS_{t_f} , where

payoff	discretely sampled	continuously sampled
	(67) and (68)	(59) or (60)
M_T-S_T	0.0231	0.0255
$S_T - m_T$	0.0310	0.0320
$(M_T - 0.99)^+$	0.0107	0.0131
$(0.97 - m_T)^+$	0.0235	0.0246

Table 4: Sample values for lookback options. For the input data we used spot $S_0 = 0.8900$, $r_d = 3\%, r_f = 6\%, \sigma = 10\%, \tau = \frac{1}{12}$, running min $R = 0.9500$, running max $R = 0.9900$, number of equidistant fixings $m = 22$.

 $\alpha>0$ is some contractually defined factor (very commonly one) and S_{t_f} is the spot at time t_f . It pays off

$$
[\phi(S_T - \alpha S_{t_f})]^+.
$$
\n(69)

1.5.2 The Value of Forward Start Options

Using the abbreviations

$$
d_{\pm}(x) \stackrel{\Delta}{=} \frac{\ln \frac{x}{K} + \sigma \theta_{\pm}(T - t_f)}{\sigma \sqrt{T - t_f}}, \tag{70}
$$

$$
d_{\pm}^{\alpha} \triangleq \frac{-\ln \alpha + \sigma \theta_{\pm}(T - t_f)}{\sigma \sqrt{T - t_f}}, \tag{71}
$$

we recall the value of a vanilla option with strike K at time t_f as

$$
\text{vanilla}(t_f, x; K, T, \phi) = \phi \left[x e^{-r_f (T - t_f)} \mathcal{N}(\phi d_+(x)) - K e^{-r_d (T - t_f)} \mathcal{N}(\phi d_-(x)) \right]. \tag{72}
$$

For the value of a forward start vanilla option we obtain

$$
v(0, S_0) = e^{-r_d t_f} \mathbb{E}[\text{vanilla}(t_f, S_{t_f}; K = \alpha S_{t_f}, T, \phi)]
$$

=
$$
\phi \left[S_0 e^{-r_f T} \mathcal{N}(\phi d_+^{\alpha}) - \alpha S_0 e^{(r_d - r_f)t_f} e^{-r_d T} \mathcal{N}(\phi d_-^{\alpha}) \right].
$$
 (73)

Noticeably, the value computation is easy here, because the strike K is set as a *multiple* of the future spot. If we were to choose to set the strike as a constant difference of the future spot, the integration would not work in closed form, and we would have to use numerical integration.

1.5.3 Example

We consider an example in Table [5.](#page-15-3)

	call	put
value	0.0251	0.0185

Table 5: Value of a forward start vanilla in USD on EUR/USD - spot of 0.9000, $\alpha = 99\%$, $\sigma = 12\%, r_d = 2\%, r_f = 3\%,$ maturity $T = 186$ days, strike set at $t_f = 90$ days

1.6 Compound and Instalment Options

An instalment call option allows the holder to pay the premium of the [call option](#page-0-0) in instalments spread over time. A first payment is made at inception of the trade. On the following payment days the holder of the instalment call can decide to prolong the contract, in which case he has to pay the second instalment of the premium, or to terminate the contract by simply not paying any more. After the last instalment payment the contract turns into a plain vanilla call.

1.6.1 Valuation in the Black-Scholes Model

The intention of this section is to obtain a closed-form formula for the n -variate instalment option in the [Black-Scholes model.](#page-0-0) For the cases $n = 1$ and $n = 2$ the Black-Scholes formula and Geske's compound option formula (see $[5]$) are well known special cases.

Let $t_0 = 0$ be the instalment option inception date and $t_1, t_2, \ldots, t_n = T$ a schedule of decision dates in the contract on which the option holder has to pay the premiums $k_1, k_2, \ldots, k_{n-1}$ to keep the option alive. To compute the price of the instalment option, which is the upfront payment V_0 at t_0 to enter the contract, we begin with the option payoff at maturity T

$$
V_n(s) \stackrel{\Delta}{=} [\phi_n(s - k_n)]^+ \stackrel{\Delta}{=} \max[\phi_n(s - k_n), 0],
$$

where $s = S_T$ is the price of the underlying asset at T and as usual $\phi_n = +1$ for a call option, $\phi_n = -1$ for a put option.

At time t_i the option holder can either terminate the contract or pay k_i to continue. This means that the instalment option can be viewed as an option with strike k_1 on an option with strike k_2 ... on an option with strike k_n . Therefore, by the [risk-neutral pricing](#page-0-0) theory, the holding value is

$$
e^{-r_d(t_{i+1}-t_i)} \mathbb{E}[V_{i+1}(S_{t_{i+1}}) \mid S_{t_i} = s], \text{ for } i = 0, \dots, n-1,
$$
 (74)

where

$$
V_i(s) = \begin{cases} \left[e^{-r_d(t_{i+1}-t_i)} E[V_{i+1}(S_{t_{i+1}}) \mid S_{t_i} = s] - k_i \right]^+ & \text{for } i = 1, \dots, n-1 \\ V_n(s) & \text{for } i = n \end{cases} \tag{75}
$$

Then the unique arbitrage-free time-zero value is

$$
P \stackrel{\Delta}{=} V_0(s) = e^{-r_d(t_1 - t_0)} \mathbb{E}[V_1(S_{t_1}) \mid S_{t_0} = s]. \tag{76}
$$

[Figure 2](#page-16-1) illustrates this context.

Figure 2: Lifetime of the Options V_i

One way of pricing this instalment option is to evaluate the nested expectations through multiple numerical integration of the payoff functions via backward iteration. Alternatively, one can derive a solution in closed form in terms of the n -variate cumulative normal, which is described in the following.

1.6.2 The Curnow and Dunnett Integral Reduction Technique

Denote the *n*-dimensional multivariate normal integral with upper limits h_1, \ldots, h_n and correlation matrix $R_n\ \triangleq\ (\rho_{ij})_{i,j=1,...,n}$ by $\mathcal{N}_n(h_1,\ldots,h_n;R_n).$ Let the correlation matrix be non-singular and $\rho_{11} = 1$.

Under these conditions Curnow and Dunnett [\[3\]](#page-19-11) derived the following reduction formula for multivariate normal integrals

$$
\mathcal{N}_n(h_1, \cdots, h_n; R_n) = \int_{-\infty}^{h_1} \mathcal{N}_{n-1} \left(\frac{h_2 - \rho_{21} y}{(1 - \rho_{21}^2)^{1/2}}, \cdots, \frac{h_n - \rho_{n1} y}{(1 - \rho_{n1}^2)^{1/2}}; R_{n-1}^* \right) n(y) dy,
$$

\n
$$
R_{n-1}^* \triangleq (\rho_{ij}^*)_{i,j=2,\ldots,n},
$$

\n
$$
\rho_{ij}^* \triangleq \frac{\rho_{ij} - \rho_{i1} \rho_{j1}}{(1 - \rho_{i1}^2)^{1/2} (1 - \rho_{j1}^2)^{1/2}}.
$$
\n(77)

For example, to go from dimension 1 to dimension 2 this takes the form

$$
\int_{-\infty}^{x} \mathcal{N}(az + B)n(z) dz = \mathcal{N}_2\left(x, \frac{B}{\sqrt{1 + a^2}}; \frac{-a}{\sqrt{1 + a^2}}\right),
$$
 (78)

or more generally,

$$
\int_{-\infty}^{x} e^{Az} \mathcal{N}(az + B) n(z) dz = e^{\frac{A^2}{2}} \mathcal{N}_2 \left(x - A, \frac{aA + B}{\sqrt{1 + a^2}}; \frac{-a}{\sqrt{1 + a^2}} \right).
$$
 (79)

1.6.3 A Closed Form Solution for the Value of an Instalment Option

Heuristically, the formula which is given in the theorem below has the structure of the [Black-](#page-0-0)[Scholes formula](#page-0-0) in higher dimensions, namely $S_0\mathcal{N}_n(\cdot) - k_n\mathcal{N}_n(\cdot)$ minus the later premium payments $k_i\mathcal{N}_i(\cdot)$ $(i = 1, \ldots, n-1)$. This structure is a result of the integration of the vanilla option payoff, which is again integrated minus the next instalment, which in turn is integrated with the following instalment and so forth. By this iteration the vanilla payoff is integrated with respect to the normal density function n times and the *i*-th payment is integrated *i* times for $i = 1, ..., n - 1$.

The correlation coefficients ρ_{ij} of these normal distribution functions contained in the formula arise from the overlapping increments of the Brownian motion, which models the price process of the underlying S_t at the particular exercise dates t_i and $t_j.$

Theorem 1.1 Let $\vec{k} = (k_1, \ldots, k_n)$ be the strike price vector, $\vec{t} = (t_1, \ldots, t_n)$ the vector of the exercise dates of an n-variate instalment option and $\vec{\phi} = (\phi_1, \ldots, \phi_n)$ the vector of the put/call- indicators of these n options.

The value function of an n -variate instalment option is given by

$$
V_{n}(S_{0}, \vec{k}, \vec{t}, \vec{\phi}) = e^{-r_{f}t_{n}} S_{0} \phi_{1} \cdots \phi_{n}
$$

\n
$$
\times \mathcal{N}_{n} \left[\frac{\ln \frac{S_{0}}{S_{1}^{*}} + \sigma \theta_{+} t_{1}}{\sigma \sqrt{t_{1}}}, \frac{\ln \frac{S_{0}}{S_{2}^{*}} + \sigma \theta_{+} t_{2}}{\sigma \sqrt{t_{2}}}, \dots, \frac{\ln \frac{S_{0}}{S_{n}^{*}} + \sigma \theta_{+} t_{n}}{\sigma \sqrt{t_{n}}}; R_{n} \right]
$$

\n
$$
- e^{-r_{d}t_{n}} k_{n} \phi_{1} \cdots \phi_{n}
$$

\n
$$
\times \mathcal{N}_{n} \left[\frac{\ln \frac{S_{0}}{S_{1}^{*}} + \sigma \theta_{-} t_{1}}{\sigma \sqrt{t_{1}}}, \frac{\ln \frac{S_{0}}{S_{2}^{*}} + \sigma \theta_{-} t_{2}}{\sigma \sqrt{t_{2}}}, \dots, \frac{\ln \frac{S_{0}}{S_{n}^{*}} + \sigma \theta_{-} t_{n}}{\sigma \sqrt{t_{n}}}; R_{n} \right]
$$

\n
$$
- e^{-r_{d}t_{n-1}} k_{n-1} \phi_{1} \cdots \phi_{n-1}
$$

\n
$$
\times \mathcal{N}_{n-1} \left[\frac{\ln \frac{S_{0}}{S_{1}^{*}} + \sigma \theta_{-} t_{1}}{\sigma \sqrt{t_{1}}}, \frac{\ln \frac{S_{0}}{S_{2}^{*}} + \sigma \theta_{-} t_{2}}{\sigma \sqrt{t_{2}}}, \dots, \frac{\ln \frac{S_{0}}{S_{n-1}^{*}} + \sigma \theta_{-} t_{n-1}}{\sigma \sqrt{t_{n-1}}}; R_{n-1} \right]
$$

\n
$$
\vdots
$$

\n
$$
- e^{-r_{d}t_{2}} k_{2} \phi_{1} \phi_{2} \mathcal{N}_{2} \left[\frac{\ln \frac{S_{0}}{S_{1}^{*}} + \sigma \theta_{-} t_{1}}{\sigma \sqrt{t_{1}}}, \frac{\ln \frac{S_{0}}{S_{2}^{*}} + \sigma \theta_{-} t_{2}}{\sigma \sqrt{t_{2}}}; \rho_{1
$$

where $S_i^*~(i=1,\ldots,n)$ is to be determined as the spot price S_t for which the payoff of the corresponding i -variate instalment option $(i=1,\ldots,n)$ is equal to zero, i.e. $V_i(S_i^*,\vec{k},\vec{t},\vec{\phi})=0.$ This has to be done numerically by a zero search.

The correlation coefficients in R_i of the *i*-variate normal distribution function can be expressed through the exercise dates t_i ,

$$
\rho_{ij} = \sqrt{t_i/t_j} \text{ for } i, j = 1, \dots, n \text{ and } i < j. \tag{81}
$$

The proof is established with Equation [\(77\)](#page-16-2). Formula [\(80\)](#page-18-2) has been independently derived by Thomassen and Wouve in $[16]$ and Griebsch, Kühn and Wystup in $[6]$.

References

- [1] BROADIE, M., GLASSERMAN, P. and KOU, S.G. (1998). Connecting Discrete and Continuous Path-dependent Options. Finance and Stochastics 2.
- [2] CONZE, A. and VISWANATHAN. (1991). Path dependent Options: The Case of Lookback Options, The Journal of Finance, Vol. XLVI, No.5.
- [3] CURNOW, R.N. and DUNNETT, C.W. (1962). The Numerical Evaluation of Certain Multivariate Normal Integrals. Ann. Math. Statist. 33, 571-579.
- [4] GARMAN, M. (1989). Recollection in Tranquillity, re-edited version in From Black Scholes to Black Holes, pages 171 to 175. Originally in [Risk](http://www.riskpublications.com), London.
- [5] GESKE R. (1979). The Valuation of Compound Options. Journal of Financial Economics, 7, 63-81.
- [6] GRIEBSCH, S.A., KÜHN, C. and WYSTUP, U. (2008). Instalment Options: A Closed-Form Solution and the Limiting Case. Contribution to Mathematical Control Theory and Finance, edited by Sarychev, A. et al. Springer.
- [7] HAKALA, J. and WYSTUP, U. (2002). [Foreign Exchange Risk](http://www.mathfinance.de/FXRiskBook/). Risk Publications, London.
- [8] HAUG, E.G. (1997). Option Pricing Formulas. McGraw Hill.
- [9] HEYNEN, R. and KAT, H. (1994). Selective Memory: Reducing the Expense of Lookback Options by Limiting their Memory, re-edited version in Over the Rainbow: De-velopments in Exotic Options and Complex Swaps, [Risk](http://www.riskpublications.com), London.
- [10] HEYNEN, R. and KAT, H. (1994). Crossing Barriers. [Risk](http://www.riskpublications.com), 7 (6), pp. 46-51.
- [11] LIPTON, A. (2001). Mathematical Methods for Foreign Exchange. World Scientific, Singapore.
- [12] REVUZ, D. and YOR, M. (1995). Continuous Martingales and Brownian Motion. Second Edition. Springer.
- [13] RICH, D. (1994). The Mathematical Foundations of Barrier Option Pricing Theory. Advances in Futures and Options Research 7
- [14] REINER, E. and RUBINSTEIN, M. (1991). Breaking down the Barriers. Risk 4(8), 28-35.
- [15] SHREVE, S.E. (2004). [Stochastic Calculus for Finance I+II](http://www.springeronline.com). Springer.
- [16] Thomassen, L. and van Wouve, M. (2002). A Sensitivity Analysis for the Nfold Compound Option. Research Paper, Faculty of Applied Economics, University of Antwerpen.
- [17] WYSTUP, U. (2006). [FX Options and Structured Products](http://fxoptions.mathfinance.com/). Wiley Finance Series.
- [18] Zhang, P.G. (1998). Exotic Options, second edition. World Scientific, London.

Index

American lookback options, [11](#page-10-1)

barrier options, [4](#page-3-2)

compound options, [16](#page-15-4)

digital options, [6](#page-5-3) double-no-touch, [9](#page-8-1) double-one-touch, [9,](#page-8-1) [11](#page-10-1)

forward start options, [14](#page-13-5)

geometric Brownian motion, [3](#page-2-2)

hindsight options, [12](#page-11-2)

instalment options, [16](#page-15-4) instant one-touch, [7](#page-6-0)

limited risk options, [11](#page-10-1) lookback options, [11](#page-10-1)

no-touch, [7](#page-6-0)

one-touch, instant, [7](#page-6-0)

partial lookback options, [11](#page-10-1)

rebate, [7](#page-6-0)